



# Short-Throw Projectors

## DX807ST

### Advancing a Brighter, Greener Future the SmartEco™ Way

Conserve energy, increase lamp life and all the while enjoy an exceptional visual performance with BenQ's SmartEco technology



### Unparalleled Efficiency, Performance and Readiness with BlueCore™

With the next-generation laser light source, BlueCore sets new standards of projector performance for classroom projectors





**PT. MANDIRI ARTHA SOLUSI**  
EMPOWERING BUSINESS FORWARD



# **DX807ST**

## Short-Throw Projector

## Technical Specification

Projection System	DLP™ Digital Optical Processing Projection Technology
Resolution	XGA(1024X768)
Brightness (ISO21118 lumens)	3500 lumens
Contrast Ratio	15000 : 1
Display Color	1.07 Billion Colors
Lens	F=2.6 f=6.9mm
Aspect Ratio	4:3
Throw Ratio	0.61
Image Size (Diagonal)	60"~120" / 300"
Zoom Ratio	Fixed
Lamp Type	210W
Lamp Mode (Normal/Economic)	4500/6000/6500/10000 hours
Keystone Adjustment	1D, Vertical +/- 30 degrees
Projection Offset	115% ± 2.5%
Resolution Support	VGA (640 x 480) to WUXGA_RB (1920 x 1200) * RB = Reduced blanking
Horizontal Frequency	15k ~ 102KHz
Vertical Scan Rate	23-120Hz
HDTV Compatibility	480i, 480p, 576i, 576p, 720p, 1080i, 1080p
Video Format	NTSC, PAL, SECAM
Interface	VGA input D-sub 15 pin, VGA output D-sub 15 pin, HDMI (v1.4a) USB (Type A), USB (Type Mini B), RS232 (DB-9pin)
Audible Noise (Normal/Economic Mode)	38/33 dBA (TBD)
Power Supply	AC 100 to 240 V, 50/60 Hz
Power Consumption	280W
Dimensions (W x H x D mm)	321.9 x 114.4 x 232.6 mm
Weight (Without Packing / With Packing)	2.6kg(5.73bs)

## Contact Us.

(021) 22813394 [info@mandiriarthasolusi.co.id](mailto:info@mandiriarthasolusi.co.id)